

# Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 11

SDS No.: 566020

V000.0

Revision: 18.01.2022 printing date: 18.01.2022

Replaces version from: -

Sard Whiter & Brighter Soaker

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Sard Whiter & Brighter Soaker

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Laundry Additive

## 1.3. Details of the supplier of the safety data sheet

Henkel Australia (ABN 82 001 302 996) 135 to 141 Canterbury Road, Kilsyth. Victoria 3152

Australia: 03 9724 6444 New Zealand: 09 272 6710

# 1.4. Emergency telephone number

Australia: 1800 638 556, New Zealand: 0800 764 766. Further information is available at Poison Information Centers.

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP):

Eye Irrit. 2

H319 Causes serious eye irritation.

# 2.2. Label elements

Label elements (CLP):

Hazard pictogram:



Signal word: Warning

**Hazard statement:** H319 Causes serious eye irritation.

# Sard Whiter & Brighter Soaker

Page 2 of 11

Precautionary statement: P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

None if used properly. None if used properly.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### 3.2. Mixtures

Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Sodium carbonate 497-19-8	207-838-8	01-2119485498- 19	>= 50-< 70 %	Serious eye irritation 2 H319
Sodiumpercarbonate 15630-89-4	239-707-6	01-2119457268- 30	>= 10- < 20 %	Oxidizing solids 2 H272 Acute toxicity 4; Oral H302 Serious eye damage 1 H318
Benzenesulfonic acid, mono-C10-16- alkyl derivs., sodium salts 68081-81-2	268-356-1		>= 3-< 10 %	Serious eye damage 1 H318 Acute toxicity 4; Oral H302 Chronic hazards to the aquatic environment 3 H412 Skin irritation 2 H315

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation

Move to fresh air. In case of breathing difficulties seek immediate medical advise.

Skin contact:

Rinse with water. Take off all clothing contaminated by the product.

Eye contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

Ingestion:

Do not induce vomiting, seek medical advice immediately.

Rinse mouth with water, (only if the person is conscious).

#### 4.2. Most important symptoms and effects, both acute and delayed

After inhalation: Irritation of the respiratory tract, coughing. Inhalation of larger amounts may cause laryngospasm with shortness of breath.

After skin contact: Temporary irritation of the skin (redness, swelling, burning).

After eye contact: Moderate to strong irritation of the eyes (redness, swelling, burning, watering eyes).

After ingestion: Ingestion may cause irritation of mouth, throat, digestive tract, diarrhea and vomiting. Vomit may get into the lungs causing damage (aspiration).

#### 4.3. Indication of any immediate medical attention and special treatment needed

After inhalation: No special action. After skin contact: No special action. After eye contact: No special action.

After ingestion: Do not induce vomiting. Single administration of a non-carbonated beverage (water or tea).

After ingestion: In case of ingestion of larger or unknown quantities administer a defoamer (Dimeticon or Simeticon).

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet (if possible, avoid full jet). Adapt the fire-fighting measures to the environmental conditions. Commercially available extinguishers are suitable for fighting incipient fires. The product itself does not burn.

Water spray jet (if possible, avoid full jet). Adapt the fire-fighting measures to the environmental conditions. Commercially available extinguishers are suitable for fighting incipient fires. The product itself does not burn.

#### Extinguishing media which must not be used for safety reasons:

None

None

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products can be formed by pyrolysis and/or carbon monoxide. Hazardous combustion products can be formed by pyrolysis and/or carbon monoxide.

### 5.3. Advice for firefighters

Use personal protective equipment and self-contained breathing apparatus.

Use personal protective equipment and self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Ensure adequate ventilation.

If large amounts are released contact the fire service.

Avoid contact with skin and eyes.

Ensure adequate ventilation.

If large amounts are released contact the fire service.

## 6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

Do not empty into drains / surface water / ground water.

## 6.3. Methods and material for containment and cleaning up

Remove mechanically. Rinse away residue with plenty of water.

Remove mechanically. Rinse away residue with plenty of water.

#### 6.4. Reference to other sections

See advice in section 8

See advice in section 8

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

No special measures required if used properly.

No special measures required if used properly.

#### **Hygiene measures:**

Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water, skin care.

Protective equipment only required in case of industrial use or for large packs (not for household packs)

Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water, skin care.

Protective equipment only required in case of industrial use or for large packs (not for household packs)

### 7.2. Conditions for safe storage, including any incompatibilities

Store dry at between +5 and +40°C. Store dry at between +5 and +40°C. Consider national regulations. Consider national regulations.

## **SECTION 8: Exposure controls/personal protection**

#### Only relevant for professional/industrial use

### 8.1. Control parameters

Valid for

Great Britain

Contains no components with occupational exposure limit values.

## 8.2. Exposure controls

Respiratory protection:

If dust is produced wear P2 mask.

If dust is produced wear P2 mask.

#### Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Eye protection:

Wear tight fitting goggles.

Wear tight fitting goggles.

Skin protection:

Protective clothing against chemicals. Observe manufacturer's instructions. Protective clothing against chemicals. Observe manufacturer's instructions.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

The following data apply to the whole mixture.

powder a) Appearance

solid white

b) Odor citrus-fruit-like

c) Odour threshold No data available / Not applicable

< 11,4

(20 °C (68 °F); Conc.: 50 % product;

Solvent: Water)

e) Melting point No data available / Not applicable No data available / Not applicable f) Initial boiling point and boiling range

g) Flash point Not applicable

h) Evaporation rate No data available / Not applicable i) Flammability (solid, gas) No data available / Not applicable j) Upper / lower flammability or explosive No data available / Not applicable

limits

k) Vapour pressure No data available / Not applicable 1) Vapor density No data available / Not applicable

m) Relative density 1.000 - 1.100 g/l Bulk density

n) Solubility (ies) soluble in water o) Partition coefficient: n-octanol/water No data available / Not applicable p) Auto-ignition temperature No data available / Not applicable No data available / Not applicable q) Decomposition temperature

r) Viscosity No data available / Not applicable s) Explosive properties No data available / Not applicable No data available / Not applicable t) Oxidising properties

## 9.2. Other information

Not applicable

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

None if used for intended purpose. None if used for intended purpose.

### 10.2. Chemical stability

Stable under normal conditions of temperature and pressure. Stable under normal conditions of temperature and pressure.

#### 10.3. Possibility of hazardous reactions

See section reactivity See section reactivity

## 10.4. Conditions to avoid

No decomposition if used according to specifications. No decomposition if used according to specifications.

# 10.5. Incompatible materials

None if used properly. None if used properly.

## 10.6. Hazardous decomposition products

No decomposition if used according to specifications. No decomposition if used according to specifications.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

### Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous	Value	Value	Species	Method
substances	type			
CAS-No.				
Sodium carbonate 497-19-8	LD50	2.800 mg/kg	rat	not specified
Sodiumpercarbonate 15630-89-4	LD50	1.034 mg/kg	rat	EPA Guideline
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts 68081-81-2	LD50	1.080 mg/kg	rat	not specified

## Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous	Value	Value	Species	Method
substances	type			
CAS-No.				
Sodium carbonate	LD50	> 2.000	rabbit	EPA 16 CFR 1500.40 (Method of testing toxic
497-19-8		mg/kg		substances)
Sodiumpercarbonate	LD50	> 2.000	rabbit	OECD Guideline 402 (Acute Dermal Toxicity)
15630-89-4		mg/kg		
Benzenesulfonic acid,	LD50	> 2.000	rat	not specified
mono-C10-16-alkyl		mg/kg		
derivs., sodium salts				
68081-81-2				

## Acute inhalative toxicity:

No data available.

## Skin corrosion/irritation:

The product has not to be classified as skin irritation based on experimental data of an OECD 439 Test with a similar mixture.

Hazardous	Result	Expos	Species	Method
substances		ure time		
CAS-No.				
Sodium carbonate	not	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation /
497-19-8	irritating			Corrosion)
Sodiumpercarbonate	slightly		rabbit	EPA Guideline
15630-89-4	irritating			

# SDS No.: 566020 V000.0

# Sard Whiter & Brighter Soaker

Page 7 of 11

# Serious eye damage/irritation:

The product has to be classified as eye irritation category 2 based on experimental data of an OECD 437 and an OECD 438 Test with a similar mixture.

Hazardous	Result	Expos	Species	Method
substances		ure time		
CAS-No.				
Sodium carbonate	irritating		rabbit	not specified
497-19-8				
Sodiumpercarbonate	highly	24 h	rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
15630-89-4	irritating			

# Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous	Result	Test type	Species	Method
substances				
CAS-No.				
Sodiumpercarbonate	not	Guinea pig	guinea pig	OECD Guideline 406 (Skin
15630-89-4	sensitising	maximisation test		Sensitisation)

# Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Sodium carbonate 497-19-8	negative	bacterial reverse mutation assay (e.g Ames test)	with		Ames Test
Sodiumpercarbonate 15630-89-4	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		not specified

11azai uous	ittouit	Type of study /	Mictabolic	Species	Michiga
substances		Route of	activation /		
CAS-No.		administration	Exposure time		
Sodium carbonate	negative	bacterial reverse	with		Ames Test
497-19-8		mutation assay (e.g			
		Ames test)			
Sodiumpercarbonate	negative	bacterial reverse	with and		not specified
15630-89-4		mutation assay (e.g	without		
		Ames test)			
Carcinogenicity					

15630-89-4		mutation assay (e.g Ames test)	without		
Carcinogenicity					
No data available.					
D 1 (1 ( 1 )					
Reproductive toxicit	ty:				
No data available.					
STOT-single exposu	re:				
No data available.					
STOT-repeated expe	osure::				
No data available.					

## **Aspiration hazard:**

No data available.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

# Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium carbonate 497-19-8	LC50	300 mg/l	96 h	Lepomis macrochirus	OECD Guideline 203 (Fish, Acute Toxicity Test)
Sodiumpercarbonate 15630-89-4	LC50	70,7 mg/l	96 h	Pimephales promelas	OECD Guideline 203 (Fish, Acute Toxicity Test)
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts 68081-81-2	LC50	5,9 mg/l	96 h	Brachydanio rerio (new name: Danio rerio)	not specified
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts 68081-81-2	NOEC	0,23 mg/l	72 d	Salmo gairdneri (new name: Oncorhynchus mykiss)	OECD Guideline 210 (fish early lite stage toxicity test)

# Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure	Species	Method
CAS-No.	type		time		
Sodium carbonate	EC50	200 - 227 mg/l	48 h	Ceriodaphnia sp.	OECD Guideline 202
497-19-8					(Daphnia sp. Acute
					Immobilisation Test)
Sodiumpercarbonate	EC50	4,9 mg/l	48 h	Daphnia pulex	OECD Guideline 202
15630-89-4		-			(Daphnia sp. Acute
					Immobilisation Test)
Benzenesulfonic acid,	EC50	4,4 mg/l	48 h	Daphnia magna	not specified
mono-C10-16-alkyl derivs.,		-			
sodium salts					
68081-81-2					

# Chronic toxicity to aquatic invertebrates

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure	Species	Method
CAS-No.	type		time		
Benzenesulfonic acid,	NOEC	1,18 mg/l	21 d	Daphnia magna	OECD 211 (Daphnia
mono-C10-16-alkyl derivs.,		_			magna, Reproduction Test)
sodium salts					
68081-81-2					

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium carbonate 497-19-8	EC50	137 mg/l	5 d	Nitzschia sp.	OECD Guideline 201 (Alga, Growth Inhibition Test)
Sodiumpercarbonate 15630-89-4	EC50	70 mg/l	240 h	Chlorella emersonii	not specified
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts 68081-81-2	NOEC	2,4 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	other guideline:
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts 68081-81-2	ErC50	127,9 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	other guideline:

### Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure	Species	Method
CAS-No.	type		time		
Sodium carbonate 497-19-8	EC 50	300 mg/l	30 min		not specified
Sodiumpercarbonate 15630-89-4	EC0	> 1.000 mg/l	30 min		not specified

# 12.2. Persistence and degradability

Hazardous substances CAS-No.	Result	Test type	Degradabi lity	Exposur e time	Method
Benzenesulfonic acid,	readily biodegradable	aerobic	85 %	29 d	OECD Guideline 301 B
mono-C10-16-alkyl derivs.,					(Ready Biodegradability: CO2
sodium salts					Evolution Test)
68081-81-2					·

# 12.3. Bioaccumulative potential

Does not bioaccumulate.

No substance data available.

### 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

Hazardous substances CAS-No.	PBT / vPvB
Sodium carbonate 497-19-8	According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not be conducted for inorganic substances.
Sodiumpercarbonate 15630-89-4	According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not be conducted for inorganic substances.

## 12.6. Other adverse effects

Other adverse effects of this product for the environment are not known to us.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

# Sard Whiter & Brighter Soaker

Page 10 of 11

Product disposal:

Dispose of in accordance with local and national regulations.

Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

Only completely empty containers are to be disposed of as recoverable materials.

Only completely empty containers are to be disposed of as recoverable materials.

## **SECTION 14: Transport information**

### 14.1. UN number

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.2. UN proper shipping name

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.3. Transport hazard class(es)

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.4. Packing group

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

### 14.5. Environmental hazards

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

# 14.6. Special precautions for user

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations/information (New Zealand):

HSNO Group Standard: HSR002530

## 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

# **SECTION 16: Other information**

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

### **Further information:**

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.